



A force of nature.

Every Yamaha ATV is designed to handle the most challenging off-road terrain, and the class-leading Grizzly 700 comes with one of the widest ranges of sophisticated user-friendly technologies to make off-road exploration more fun, more relaxing. Available with exclusive SE (Special Edition) or XT-R colour and graphics.

The smooth-running Ultramatic® transmission instantly selects the best ratio for any given situation, so you get maximum enjoyment out of every ride. What's more, with its effortless Electronic Power Steering, shock-absorbing 27-inch tyres and ergonomic chassis design, the amazing Grizzly 700 delivers the ultimate in riding comfort.



- Suure jõudlusega ATV – see on tõeline maastikusõiduk
- Juhi valitav rattaveosüsteem
- Suurepärase juhitavus teel ja maastikul
- Pika käiguga maastikul sõitmise võimalus ja mugav vedrustus
- 4 võimsat ja ühtlast hüdraulilist ketaspidurit
- Hästi tasakaalustatud sõidudünaamika
- Vähem väsimust ja täpsem juhitavus EPS-i abil
- Ühendatud sõitja ettepoole ergonoomika
- Professionaalne mahutavus lasti paigutamiseks ja vedamiseks
- Sophisticated painted SE body & 27" SE wheels
- T-kategooria homologeerimine valikuline



Grizzly 700 EPS SE


Features like the On-Command® drive system make switching from 2WD to 4WD as simple and quick as blinking – and the high torque 686cc Mk II engine has the power to take you across the most extreme terrain. Fully equipped with powerful LED lights, digital instruments and a powerful winch, the Grizzly 700 EPS SE is always ready to take you on the next adventure.

A force of nature.

For all you #DRIVENBYFREEDOM enthusiasts who look for a machine with unique touches, the Grizzly 700 EPS SE is the Special Edition of our toughest, compact off-roader. With its gutsy 686cc engine and rugged chassis, this Grizzly gives you more freedom to explore - on the trail, through the hills or deep in the woods.

Yamaha's industry-leading Ultramatic® transmission automatically selects the optimum gearing for all types of terrain, while the natural all-wheel engine braking gives huge confidence in downhill descents – and the On-Command® drive system allows you to switch seamlessly between 2WD, 4WD and Diff-lock at the push of a button.

Electronic Power Steering gives a natural feedback for enhanced comfort and control – and with its 4-wheel disc brake system and adjustable independent suspension, the super-tough Grizzly 700 EPS SE (Special Edition) is ready to take on the most challenging terrain. Discover this true force of nature.



MK II 686cc SOHC engine

Yamaha's biggest leisure ATV is driven by a high-performance, large capacity engine that delivers class-leading torque and power. The 2nd generation MK II 686cc 4-valve SOHC engine is equipped with the latest EFI throttle body as well as fine-tuned ECU mapping and refined tolerances that ensure low fuel consumption, high levels of torque and smooth engine performance.



Ultramatic® transmission

Equipped with High, Low, Reverse, Neutral and Park modes, Yamaha's industry-leading Ultramatic® automatic transmission is one of the most durable and efficient CVT systems. Its instant-reaction gearing is designed to tackle the toughest terrain, and the natural feel of the all-wheel engine braking gives you added confidence and control on downhill runs.



Independent suspension, disc brakes

The Grizzly 700 EPS SE's independent suspension system uses nitrogen gas shocks that are adjustable for preload, allowing the rider to run various settings to suit differing loads. This is also the only model in its class featuring four wheel hydraulic disc brakes, for outstanding braking performance with plenty of feel.



On-Command® drive system

The intelligent On-Command® drive system features a convenient push-button control that allows you to switch seamlessly and instantaneously from 2WD to 4WD and back. By pressing a button on the right-side handlebar you can select 2WD, 4WD or 4WD with Diff-lock to optimize the Grizzly's performance in changing terrain and weather conditions.



Carrying capacity and winch

The Grizzly 700 EPS SE comes with one of the highest standard specifications in its category and features a front-mounted WARN VRX 25 winch that has the power to haul you out of the stickiest situation. With a carrying capacity of 140kg and able to tow 600kg, this class-leading leisure ATV is the ideal partner for hunting, fishing and camping adventures.



Electric Power Steering (EPS)

For added comfort and reduced physical effort the Grizzly 700 EPS SE models are equipped with Electronic Power Steering (EPS) that has been designed to offer the best balance of rider assist and positive feedback. By maintaining light steering and precise handling, this system enhances rider comfort, confidence and control.

Engine

| | |
|---------------------|--|
| Engine type | Single cylinder;Liquid-cooled;4-stroke;SOHC;4-valves |
| Displacement | 686cc |
| Bore x stroke | 102.0 mm x 84.0 mm |
| Compression ratio | 10.0 : 1 |
| Lubrication system | Wet sump |
| Fuel system | Electronic Fuel Injection |
| Ignition system | TCI |
| Starter system | Electric |
| Transmission system | L/H/N/R/P;Ultramatic® V-belt with front- and rear wheel engine braking |
| Drive system | On-Command® 2WD/4WD/diff-lock |
| Final transmission | Shaft |

Chassis

| | |
|-------------------------|---|
| Front suspension system | Independent double wishbone;193 mm wheel travel;5 position preload adjustment |
| Rear suspension system | Independent double wishbone;232 mm wheel travel;5 position preload adjustment |
| Front brake | Dual ventilated hydraulic disc |
| Rear brake | left hand/right foot operation;Ventilated Hydraulic Disc |
| Front tyres | Maxxis 27" Zilla tires 27x 10-14, aluminium wheels |
| Rear tyres | Maxxis 27" Zilla tires 27x 10-14, aluminium wheels |

Loading limits

| | |
|------------|-------|
| Front rack | 50 kg |
| Rear rack | 90 kg |

Dimensions

| | |
|--------------------------|------------|
| Overall length | 2,070 mm |
| Overall width | 1,230 mm |
| Overall height | 1,253 mm |
| Seat height | 930 mm |
| Wheelbase | 1,253 mm |
| Minimum ground clearance | 300 mm |
| Min. turning radius | 3.5 m |
| Fuel tank capacity | 18 litres |
| Oil tank capacity | 2.6 litres |

Additional features

| | |
|---------------------|---|
| Steering System | Ackermann-type with Electronic Power Steering |
| SE/LE Features | Painted Body Plastics / Aluminium casted wheels / 27" tires & 14" Alu wheels / Handle bar worklight / Digital Meter |
| Trailer Hitch | 2"Receiver Trailer style hitch |
| Front Mounted Winch | WARN VRX 25 |